



ar Laboratory Director

ached below is your clinical laboratory certificate.
ur certificate is void after the expiration date below.

Expiration Date: October 01, 2019

ADAPTIVE BIOTECHNOLOGIES
1551 EASTLAKE AVE E STE 200
SEATTLE WA 98102-7402

DISPLAY:

State law requires that the clinical laboratory certificate shall be conspicuously posted in the clinical laboratory.

CHANGE OF LABORATORY NAME, DIRECTOR, OWNER AND/OR ADDRESS:

State law requires that the laboratory owner and/or the director notify this office within 30 days of any change in ownership, name, location, or laboratory directors. **YOUR CERTIFICATE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE.**

You must submit a completed application for a new clinical laboratory certificate within those 30 days or cease engaging in clinical laboratory practice. Mail written notification and/or application to the address indicated below.

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH
Laboratory Field Services, Facility Licensing Section
850 Marina Bay Parkway, Building P, 1st Floor
Richmond, CA 94804-6403

Thank you for your cooperation.

Lab 142A Labclin (01-17)

Here

Tear Here

State of California Department of Public Health

CLINICAL LABORATORY CERTIFICATE OF DEEMED STATUS

In accordance with the provisions of Chapter 3, Division 2 of the Business and Professions Code, the persons named below are hereby issued a certificate to operate a clinical laboratory at the indicated address or other site(s) on file with the department.

ADAPTIVE BIOTECHNOLOGIES
1551 EASTLAKE AVE.E, SUITE 200
SEATTLE WA 98102

OWNER(S):

ADAPTIVE BIOTECHNOLOGIES CORPORATION
CHAD ROBINS
HARLAN ROBINS PHD
CHRIS CARLSON PHD

DIRECTOR(S):

STEPHANIE HALLAM PHD

LAB ID Number:

CDS00800514

Effective Date:

October 2, 2018

Valid Until:

October 1, 2019

CLIA Number:

50D2046518

Robert J. Thomas

Robert J. Thomas, Chief
Laboratory Field Services